

Batch Release Certificate

Product name: Dextran 60 EP
Specification No.: 40013
Batch No.: xxxxxx
Manufacturing date: mmmm_yyyy
Retest date (5 years): mmmm_yyyy
Manufacturing sites: Pharmacosmos A/S, Roervangsvej 30, DK-4300 Holbaek, Denmark
DKMA* No.: 254629
GMP certificate No.: DK API-H 00010511, DK API-V 00010511
FDA establishment No.: FEI 3003233785
FDA facility classification: Acceptable
EDQM* certificate No.: R1-CEP 1999-064-Rev 02

Method:	Parameter:	Results of analysis:	Limits:
EP	Description:	Complies	White or almost white powder
EP	Solubility:	Complies	Very soluble in water, very slightly soluble in ethanol (96%)
EP	Appearance of solution:	Complies	Clear and colorless
EP	Specific rotation, (+/-) °:	+x.x	+195 – +201
EP	Acidity or Alkalinity:	Complies	Complies
EP	Infrared Absorption:	Complies	** Complies
EP	Average molecular mass, Mw:	x,xxx	54,000 – 66,000
EP	Mw of 10% high fraction:	x,xxx	≤180,000
EP	Mw of 10% low fraction:	x,xxx	≥14,000
EP	Nitrogen containing substances, ppm N:	x	≤110
EP	Residual solvent % by GC:	Complies	*** Methanol ≤0.05 Ethanol & other solvents ≤0.5
EP	Heavy metals, ppm lead:	x	<10
EP	Loss on drying (105°C, 5h), % w/w:	x.x	≤7.0
EP	Sulphated ash, % w/w:	x.x	≤0.3
EP	Bacterial endotoxins, IU/g:	Complies	<16
EP	Microbial contamination, cfu/g:	Complies	≤100

References to official monographs are to be considered as current editions.

*) EDQM refers to 'European Directorate for the Quality of Medicines and healthcare'. DKMA refers to 'Danish Medicines Agency'.

**) Test is not carried out routinely. The identification of the product is assured through strict adherence to established GMP rules throughout the manufacturing procedure.

***) Test is not carried out according to approval from EDQM. No class 1, class 2 and class 3 solvent, cf. EP 5.4 Residual solvents is used in the manufacturing of this product.

I hereby certify that the above information is authentic and accurate. This batch of Active Pharmaceutical Ingredient has been manufactured, including packaging and quality control at the above mentioned site in full compliance with the GMP requirements for active starting materials and with the above mentioned specifications. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

Date (dd.mm.yyyy):

Qualified Person, Kim Nordfjeld, Ph.D., Pharmacy